


Part number

VS 1451.3N



Sectionable fuse carrier, VS series, for cylindrical fuse-links 14 x 51 mm, three-pole plus sectionable neutral, 6 modules

Product description

Product type	Sectionable fuse carrier
Series	VS
Specification	For cylindrical fuse-links 14 x 51 mm Three-pole plus sectionable neutral, 6 modules

Technical data

IP degree of protection	IP20
--------------------------------	------

Further technical details

Weight	625,00 g
UL 94 flammability rating	V-0

Material properties

Colour	RAL 7032 grey
---------------	---------------

General ordering information

EAN13 code	8015747093309
-------------------	---------------

Packaging Information

Sub-packaging weight	0,63 kg
Sub-packaging description	Carton box
Sub-packaging quantity	1 Pcs
Sub-packaging EAN barcode	8015747093316



Part number

VS 1451.3N



Catalogue drawings

Catalogue drawings



	VS 1451	VS 2258
A	21	26
A2	26,2	35
B	21	26
B2	26,2	35
C	35	35
D	45	60
Ø	4,5	4,5

Notes

Dimensions shown in mm are not binding and may be changed without notice.

Suitable for fixing on DIN-rail EN 60715.
Terminals with unlosable screw.
Fuse-links not included, types with sectionable neutral provided with fixed neutral cylinder.
Insulating parts realized in glass-fibre reinforced thermosetting polyester, colour grey RAL 7035.

Recommended maximum capacity:

- 380V : 25A
- 500V : 20A

Suitable for fixing on DIN-rail EN 60715.
Terminals with unlosable screw.
Fuse-links not included, types with sectionable neutral provided with fixed neutral cylinder.
Insulating parts realized in glass-fibre reinforced thermosetting polyester, colour grey RAL 7035.

Recommended maximum capacity:

- 380V : 50A
- 500V : 40A
- 660V : 25A